Printed Pages: 10 Sr. No. **10002**

WST-DCI-2019-MDS-OS-PAPER-1-SET-1-B

Total Questions: 100	Max. Marks: 100	Time: Two Hours
Roll No. (in figures)		
(in words)		
		(Signature of Candidate)
I have checked the entries	made above and in the OMF	•
		(Signature of invigilator)

CANDIDATES MUST READ THE FOLLOWING INFORMATION/ INSTRUCTIONS BEFORE STARTING THE QUESTION PAPER.

- 1. All the candidates must return the test booklet as well as answer-sheet to the Invigilator concerned before leaving the Examination Hall. If any candidate leaves the examination hall without handing over the test booklet/ answer sheet to the Invigilator, a case of use of unfair means/ misbehavior will be registered against him/ her in addition to lodging an FIR with the Police. The answer-sheet of such a candidate will not be evaluated.
- 2. The candidates must not do any rough work or writing work in the answer-sheet (OMR Sheet). All rough work is to be done in the test booklet.
- 3. Candidates will be required to darken the circle by using blue/ black ball point pen only.
- 4. Books, papers, slide rule, log table, cellular phone, pager, calculator or any other electronic gadget etc. are not allowed in the Examination Hall.
- 5. BEFORE ANSWERING THE QUESTIONS, THE CANDIDATES SHOULD ENSURE THAT THEY HAVE BEEN SUPPLIED THE CORRECT AND COMPLETE TEST BOOKLET CONTAINING SR.NO.1 TO 100 QUESTIONS, COMPLAINTS REGARDING MISPRINT ETC. WILL NOT BE ENTERTAINED 15 MINUTES AFTER THE EXAMINATION IS STARTED.

1.	(A) Pyruvate(C) Cholesterol	Acetyl-CoA, EXCEPT: (B) Ketone bodies (D) Fatty acids
2.	Alkaptonuria is related to which of the fo (A) Homogentisic oxidase (C) Methyl transferase	ollowing enzyme defect? (B) Tyrosinase (D) Transaminase
3.	Deficiency of folic acid leads to : (A) Night blindness (C) Macrocytic anaemia	(B) Rickets (D) Microcytic anaemia
4.	Which compound is excreted in urine in (A) FIGLU (C) Xanthurenic acid	vitamin B ₁₂ deficiency : (B) Homocystine (D) Methylmalonic acid
5.	Iron is deficient in : (A) Cereals (C) Pulses	(B) Maize (D) Milk
6.	A higher level of which of the following redental decay among children? (A) Magnesium (C) Calcium	mineral in water is associated with lower rate of (B) Fluoride (D) Chloride
7.	Which of the following change is not see (A) Cell shrinkage (C) Chromatic condensation	en in apoptosis: (B) Inflammation (D) Cell death
8.	All of the following are clinical features of (A) Tacchycardia (C) Warm skin	of shock, EXCEPT : (B) Rapid and weak pulse (D) Cyanosis
9.	All of the following are bone tumors, EX (A) Fibrous dysplasia (C) Osteogenic sarcoma	CEPT : (B) Ewing's sarcoma (D) Giant cell tumor of bone
10.	Warthin tumour is: (A) Adenolymphoma of parotid gland (B) Pleomorphic adenoma of parotid gland (C) Carcinoma of parotid gland (D) Myoepithelioma of parotid gland	
11.	Candidiasis is a complication of all, EXC (A) Prolonged antibiotic therapy (C) Immunosuppression	CEPT : (B) Steroid therapy (D) Aspiration pneumonia
12.	Red cell in β thalassemia are typically: (A) Normocytic hypochromic (C) Normocytic normochromic	(B) Microcytic hypochromic (D) Macrocytic normochromic

13.	Which of the following is not a cause of (A) Liver disease (C) Prolonged bleeding	macrocytosis? (B) Alcoholism (D) Folic acid deficiency
14.	Type II diabetes is not characterized by: (A) Absolute insulin deficiency (C) High blood sugar	(B) Insulin resistance (D) Relative insulin deficiency
15.	Which of the following is not a risk factor (A) Betal chewing (C) High fibre diet	for oral squamous cell carcinoma? (B) Smoking (D) Leukoplakia
16.	Choose the item that correctly matches preparation. (A) Mycobacterium tuberculosis with Ind. (B) Cryptococcus neoformans in CSF with CO Fungi with KOH. (D) Chlamydia with Gram stain	
17.	Heating in a hot air oven at 160 degree (A) All glass syringes (C) Swab sticks	C for one hour is used for sterilization of: (B) Oils and jellies (D) All of the above
18.	Which of the following bacteria is involve (A) Streptococcus mutans (C) Neisseria meningitides	ed in production of dental caries? (B) <i>Staphylococcus epidermidis</i> (D) <i>Salmonella typhi</i>
19.	Chinese letter arrangement is characteri (A) Mycobacterium tuberculosis (C) Bacillus anthracis	stic of: (B) Corynebacterium diphtheriae (D) Clostridium tetani
20.	Which of the following properties may be (A) Resistance to antibiotics (C) Fermentation of lactose	e plasmid mediated? (B) Production of enterotoxin (D) All of the above
21.	BCG vaccine is a: (A) Live attenuated vaccine (C) Toxoid preparation	(B) Killed preparation (D) Recombinant preparation
22.	The most common natural mode of transvia: (A) Contaminated water supply (B) Body fluids, such as urine and seme (C) Respiratory droplets (D) Infected insect vectors	smission of infection with Hepatitis B virus is
23.	Which of the following is the commonest India? (A) Tuberculosis (C) Cryptosporidiosis	(B) Toxoplasmosis (D) Cryptococcosis

24.	4. Which of the following species of Candida is most frequently associated with infections?		
	(A) C. albicans	(B) C. tropicalis	
	(C) C. glabrata	(D) C. rugosa	
25.	, ,		
	(A) Trophozoite	(B) Precyst	
	(C) Cyst	(D) All of the above	
26.		cosa. There is profuse salivation. Biopsy shows e. Which of the following is the most likely	
	(A) Pemphigus	(B) Bullous lichen planus	
	(C) Psoriasis	(D) Erythema multiforme	
27.	27. Which of the following is the most important prognostic feature of oral squamo carcinoma?		
	(A) Size	(B) Ulceration	
	(C) Local invasion	(D) Presence of metastasis	
28.	In which of the following conditions are	'Sulfur granules' of diagnostic value?	
	(A) Histoplasmosis	(B) Actinomycosis	
	(C) Scrofula	(D) Lead sulfide tissue deposits	
29. Mucoceles most commonly arise as a result of:(A) Rupture of salivary duct		result of:	
	(B) Partial or complete compression og the salivary acini		
	(C) Inflammatory changes in the glandular interstitial tissue		
	(D) Partial or complete obstruction of the		
30.	Sialoliths are most commonly found du	ring the radiographic examination of the:	
	(A) Parotid duct	(B) Submandibular duct	
	(C) Sublingual duct	(D) Minor salivary gland duct	
31.	31. The following are non-specific humoral factors, EXCEPT:		
	(A) Beta-lysin	(B) Complement	
	(C) Antibodies	(D) Interferons	
32. An immunoglobulin that is synthesized locally and consecretions is:		locally and concentrated in various body	
	(A) IgA	(B) IgG	
	(C) IgM	(D) IgD	
33.	Spirochetes can be demonstrated by:	(D) Light migroscope	
	(A) Phase contrast microscope(C) Dark field microscope	(B) Light microscope (D) All of these	

34.	Viruses have all of the following, EXCEF (A) Definite shape (C) Ultramicroscopic size	PT: (B) Metabolism (D) Genes
35.	Which of the following component of cor (A) C1 (C) C8	mplement has chemotactic activity: (B) C2 (D) C3
36.	Proton pump inhibitors are most effectiv (A) After meals (C) Along with H2 blockers	e when they are given (B) Shortly before meals (C) During meals
37.	The most commonly used local anaesth (A) Benzocaine (C) Cocaine	etic agent is: (B) Ropivacaine (D) Lignocaine
38.	Tramadol is: (A) Antacid (C) Antibiotic	(B) Opioid analgesic (D) Antifungals agent
39.	Dental discoloration can be caused by : (A) Doxycycline (C) Clindamycin	(B) Amoxicillin (C) Ciprofloxacin
40.	Nitrates are not used in : (A) Congestive cardiac failure (C) Renal colic	(B) Esophageal spasm (D) Cyanide poisoning
41.		nt tuberculosis can be treated with all the
	following drugs, EXCEPT : (A) Tobramycin (C) Ciprofloxacin	(B) Amikacin (D) Clarithromycin
42.	Drug of choice for acute attack of asthm (A) Ipatropium Bromide (C) Atropine	a is : (B) Salbutamol (D) Aminophylline
43.	Which of the following Antimicrobials ha (A) Cefopodoxime proxetil (C) Cefotetan	s antipseudomonal action? (B) Ceforanide (D) Cefoperazone
44.	found to be Methicillin resistant on the a antibiotics will be appropriate, Except:	ess due to Staphylococcus aureus, which was ntibiotic sensitivity testing. All the following
	(A) Vancomycin (C) Imipenem	(B) Teicoplanin (D) Linezolid
45.	anti-hypertensive effect of ACE inhibitor (A) Paracetamol	(B) Aspirin
	(C) Naproxen	(D) Ibuprofen

46.	(A) Factor V (C) Factor VII	(B) Factor II (D) Factor X
47.	Which out of the following spreads throu (A) Hepatitis C (C) Hepatitis E	igh feco-oral route? (B) Hepatitis B (D) Hepatitis D
48.	All of the following drugs belong to antic (A) Dabigatran (C) Warfarin	oagulants, EXCEPT : (B) Rivoroxaban (D) Aspirin
49.	All of the following conditions are associ (A) Koilonychia (B) PICA (C) Decreased serum ferritin (D) Decreased total iron binding capacit	ated with Iron deficiency Anaemia except: y (TIBC)
50.	AIDS is characterized by all, EXCEPT : (A) Decreased CD4 count (C) Opportunistic infections	(B) Decreased CD8 count (D) Reversed CD4 : CD8 ratio
51.	Which one of the following antiepileptic (A) Sodium valproate (C) Phenytoin	drug is associated with gum hypertrophy: (B) Carbamazipine (D) Clobazam
52.	Beri-Beri is caused due to deficiency of (A) Vitamin B_{12} (C) Vitamin B_1	which one of the following vitamin : (B) Vitamin C (D) Vitamin D
53.	The drugs used in hyperthyroidism are a (A) Carbimazole (C) Propylthiouracil	all, EXCEPT : (B) Methimazole (D) Levothyroxine
54.		story of bee sting half hour back. He was on. A diagnosis of anaphylactic shock was (B) Noradrenaline (D) Dopamine
55.	All the following statements are true reg (A) Predisposition to gastric ulcer (B) Nephrotoxicity (C) Cardiac side effects are very commod (D) Frequent CNS side effects including	

56.	Abbe-Estlander flap is used for: (A) Lip (C) Eyelid	(B) Tongue (D) Ears
57.	Which type of thyroid carcinoma has bes (A) Papillary carcinoma (C) Follicular carcinoma	st prognosis: (B) Anaplastic carcinoma (D) Medullary carcinoma
58.	Epulis arises from: (A) Enamel (C) Gingiva	(B) Root of teeth (D) Pulp
59.	Virus causing head and neck cancer (A) EBV (C) HCV	(B) HSV (D) HBV
60.	Which of the following statement is true (A) commonest in females (B) most malignant (C) Hot spot on Tc-99m (D) Most common tumor of minor salivation	
61.	Which of the following is true about branchial cyst? (A) Seen deep to lower 1/3 rd of sternocleidomastoid (B) Present in anterior triangle of neck (C) Filled with straw colored fluid with cholesterol crystals (D) Present at birth	
62.	Who said "skin is the best dressing"? (A) Joseph Lister (C) James Paget	(B) John Hunter (D) Mc Neill Love
63.	Ideal time for cleft lip repair surgery is: (A) 3-6 weeks (C) 1-1.5 years	(B) 6-12 weeks (D) 3-4 years
64.	Primary closure of incised wounds must (A) 2 hours (C) 6 hours	be done within: (B) 4 hours (D) 12 hours
65.	Best view for X-Ray mandible is : (A) Antero-posterior (C) Oblique	(B) Lateral (D) Orthopentomogram
66.	All the statements are true about Knoop (A) Pyramid shaped diamond indenter is (B) The load applied varies from 0.1 Kgf (C) Used to measure hardness values of (D) The KHN for human dentin is 70	s used f to 1Kgf

67.	Sensitization of stainless steel occurs when it is heated at higher temperatures due t (A) Precipitation of iron carbide (B) Precipitation of chromium carbide (C) Precipitation of nickel carbide (D) Precipitation of cobalt carbide	
68.	Miracle mix is: (A) Light cure glass ionomer cement (B) A mixture of Glass ionomer cement and porcelain powder (C) A mixture of Glass ionomer cement and resin (D) A mixture of Glass ionomer cement and silver amalgam alloy particles	
69.	Dentin bonding agent (DBA) has both he end binds with: (A) Composite (C) Collagen of dentin	ydrophillic and hydrophobic ends. Hydrophillic (B) Hydroxyapatite (D) Calcium of tooth
70.	The component which acts as a retarde (A) Calcium sulphate (C) Potassium alginate	r in Alginate is: (B) Sodium phosphate (D) Diatomaceous earth
71.	Benzoyl peroxide in self-cure resin acts (A) Initiator (C) Activator	as: (B) Inhibitor (D) Plasticizer
72.	The following statements are true for metal (A) The alloy used as substructure show the firing temperature of ceramic (B) The fusing temperature of ceramic s(C) The metal should have a higher sag (D) The coefficient of thermal expansion the veneering ceramic	should be higher than that of metal resistance
73.	The following chemicals can be used to EXCEPT: (A) Terra alba (C) Syngenite	accelerate the setting of gypsum products, (B) Rochelle salt (D) Kieselguhr
74.	Normal setting expansion for gypsum boton (A) 1.2% (C) 5%	onded investment is: (B) 0.6% (D) 2.8%
75.	All of the following materials are used as (A) Dental plaster (C) Alginate	s bite registration materials, EXCEPT : (B) Zinc oxide eugenol (D) Addition silicone
76.	Palatine tonsil is related laterally to all o (A) Superior constrictor (C) Pharyngobasilar fascia	f the following structures, EXCEPT : (B) Stylopharyngeus (D) Pre-vertebral fascia

77.	Which of the following does not contribute to the development of tongue? (A) Tuberculum impar (B) Lingual swellings (C) Caudal part of hypobranchial eminence (D) Occipital myotomes		
78.	Regarding the sensory innervation of face, which of the following nerve supplies the skin over the tip of the nose? (A) Branch of the Maxillary Nerve (B) Branch of the Nasociliary Nerve (C) Branch of the Mandibular Division of the 5 th Nerve. (D) Branch of the Ophthalmic Division of the 5 th Nerve.		
79.	All of the following nerves are present in the posterior triangle, EXCEPT: (A) Roots and trunks of the brachial plexus (B) Supraclavicular nerves (C) Spinal part of the accessory nerve (D) Ansa cervicalis		
80.	All of the following are condensations of (A) Phayngobasilar Fascia (C) Sphenomandibular ligament	the deep cervical fascia of the neck, EXCEPT (B) Stylomandibular Ligament (D) Buccopharyngeal Fascia	
81.	In the submandibular region, the facial a EXCEPT: (A) Submental (C) Ascending palatine	rtery gives off all of the following arteries, (B) Tonsillar (D) Inferior labial	
82.	 All of the following statements about the (A) The isthmus of the thyroid gland lies trachea. (B) The superior thyroid artery is closely nerve. (C) The inferior thyroid vein drains into the (D) Lymph from the upper part of the glandes. 	anterior to the 2 nd , 3 rd and 4 th rings of the associated with the external laryngeal he internal jugular vein	
83.	Which of the following is NOT a bone of (A) Palatine bones (C) Sphenoid bones	the neurocranium? (B) Parietal bones (D) Temporal bones	
84.	Which of the following is NOT a bone of the facial skeleton? (A) Maxilla (B) Zygomatic bone (C) Frontal bone (D) Inferior nasal concha		
85.	Which of the following muscles does NC ring? (A) Superior rectus (C) Lateral rectus	T take its origin from the common tendinous (B) Inferior rectus (D) Superior oblique	

86.	A form of coordinated programmed cell (A) Apoptosis (C) Lysis	death is called : (B) Necrosis (D) Cloning
87.	The largest WBC is: (A) Monocyte (C) Eosinophil	(B) Neutrophil (D) Basophil
88.	In adults, active red bone marrow is pres (A) Skull (C) Long bones	sent in all, EXCEPT : (B) Vertebrae (D) Sternum
89.	Fibrinogen is converted into fibrin by : (A) Thrombin (C) Prothrombin activator	(B) Prothrombin (D) Calcium
90.	Structural and functional unit of muscle i (A) Sarcotubular system (C) Sarcolemma	s: (B) Sarcoplasmic reticulum (D) Sarcomere
91.	The normal tidal volume is : (A) 150 ml (C) 500 ml	(B) 300 ml (D) 1000 ml
92.	The process of concentrating the urine is (A) Cortical nephron (C) Juxtamedullary nephron	s the main function of : (B) Descending loop of Henle (D) Collecting duct
93.	Juxtaglomerular apparatus secretes : (A) Rennin (C) Erythropoietin	(B) Renin (D) Aldosterone
94.	Color vision is tested by : (A) Ishihara's chart (C) Jaeger's chart	(B) Snellen's chart (D) Landold's chart
95.	Myxoedema occurs due to : (A) Hyperthyroidism in adults (C) Hypothyroidism in adults	(B) Hyperthyroidism in children (D) Hypothyroidism in children
96.	Which of the following is a marker enzyment (A) ATP synthase (C) Lactate dehydrogenase	ne for mitochondria (B) Cathepsin (D) Glucose – 6- phosphatase
97.	Biotin is involved in which of the followin (A) Hydroxylations (C) Decarboxylations	g type of reactions? (B) Carboxylation (D) Dehydrations

- 98. The sodium pump:
 - (A) Exchanges extracellular Na⁺ for intracellular K⁺
 - (B) Is important for maintaining a constant cell volume
 - (C) Exchanges intracellular Na⁺ for extracellular K⁺
 - (D) Exchanges extracellular Na⁺ for intracellular Ca²⁺
- 99. Gluconeogenesis is inhibited by:
 - (A) Glucagon

(B) Growth hormone

(C) Insulin

- (D) Glucocorticoids
- 100. Committed step in glycolysis is catalysed by :
 - (A) Hexokinase
 - (B) Phospho fructokinase-1
 - (C) Pyruvate kinase
 - (D) Glyceraldehyde-3-PO₄ dehydrogenase