PT. B.D.SHARMA POSTGRADUATE INSTITUTE OF MEDICAL SCIENCES ROHTAK

E-mail:- quotations.pgims@uhsr.ac.in

Invitation of e-quotations for UVV/Urg

Inquiry No: UVV/26/1438

Inquiry Issue Date: 27/10/26

Last Date of Submission: _____

Password-protected e-quotations are hereby invited from the valid firms and suppliers by the undersigned on behalf of the Director, PGIMS, Rohtak for supply of consumables as per Annexure-I for the Institute as per terms & conditions mentioned below. The filled e-quotations must be received through registered e-mail (**Password protected**) on or before _____ at 3.00PM & quotation opened on _____ at 3.30PM

"QUOTATION FOR"

Item Name _____ for the Department of _____

Closing Date :- _____ **Time 3.00PM**

1. **Terms & Conditions:-**

a. The quotations received online after the deadline shall not be entertained under any circumstances whatsoever. In case of any delay this institute will not be responsible.

b. Quotations must be in online prescribed Performa on the letter head of the firm duly signed by the Proprietor/ Partner/ Director of their authorized representative. In case of signing of quotation by the authorized representative letter of authorization must be attached with the quotation.

c. Quotations must be received on given email before deadline of submitting the quotation.

d. Rates must be quoted in Indian Rupees and as per the format specified taxes extra if any must be written separately.

e. Rates must be quoted F.O.R. basis (including Freight charges).

f. No overwriting or cutting is permitted in the rate. If found, the quotation shall be summarily rejected.

g. The rates quoted must be valid for 90 days minimum or as per State Govt. instructions issued from time to time from the date of opening and silence of any tenderer on this issue shall be treated as agreed with this condition.

h. Becoming L1 will not be the criteria for awarding of purchase order unless the rates are reasonable & justified

i. Any conditional quotations shall be rejected summarily.

j. **Delivery period – As per supply order on issuing by the office.**

k. **Liquidated Damages:** - If the supplier fails to deliver the material on or before the stipulated date, then a penalty at the rate of 0.5% per week of the total order values shall be levied subject to maximum of 10% of the total order value.

l. **Payment terms:** - Payment will be only after satisfactorily complete delivery/ commissioning of material and after inspection by Inspection committee.

m. Pt. BDS PGIMS, Rohtak reserves the right to increase or decrease quantity and / or amount of work. Decision of quantity of material in the Pt. BDS PGIMS, Rohtak will be final in this regard.

n. Pt. BDS PGIMS, Rohtak reserves the right to reject any quotation or part or the whole of inviting quotation process without assigning any reason. Decision of the Pt. BDS PGIMS, Rohtak will be final in this regard.

Special Terms and Conditions:-

1. **Bidder must quote the product as per specifications provided in Annexure-1.**
2. **The supplier may be asked to submit the sample of quoted make for technical evaluation, to the Pt. BDS PGIMS, Rohtak , if required. The expenditure incurred for demonstrating the items will be borne by the supplier.**
3. **Inspection committee will check the products thoroughly, if somehow inspection committee found any discrepancy and is not satisfied with the final product (final product should be same as reviewed ones at the institution) then Pt. BDS PGIMS, Rohtak has the right to reject the supply and cancel the order, and no claim for payment in this regard will be entertained.**
4. **Jurisdiction: The jurisdiction will be district Rohtak only.**
5. **It is directed to IT Cell that requisition of above item may also be placed on website of Pt. BDS PGIMS, Rohtak for vide publicity to invite a competitive manner of purchase.**

Encl: Annexure-I (Specification)

Annexure –II (Format of Quotation)

Committee

Dr [illegible]. Pawar
Professor & Head
Urology Department
P.G.I.M.S. Rohtak

E-mail: [illegible]

...of e-quotations for Urology

...27

ANNEXURE 2: ITEMS NOT AVAILABLE ON RC

S. NO	NAME OF ITEM	REQ. QUANTITY	SPECIFICATION	REMARK
1	TUR irrigation set	1	Sterile, Y shaped, irrigation device, non-toxic, PVC for continuous flow	NA
2	SILICONE DJ STENT 5FR	1	SILICONISED BOTH ENDS OPEN, 5F/26CM	NA

Dr. HEMANT KAMAL
Mch - Urology
PROFESSOR
Deptt. of Urology & Renal Transplant
PGIMS, Rohtak